

PU GREY

Art.Nr.: 509540



Montage Feinstrickhandschuh, Material: Polyestergerick nahtlos mit Soft-PU Beschichtung, Länge: 22-25cm

- ▲ Schutzklasse: Kat. II
- ▲ EN Norm: EN 388, EN 420
- ▲ Größen: 6–110
- ▲ Farbe: grau

- ▲ 1 VPE = Paar 100

PRODUKTEIGENSCHAFTEN



Montagehandschuh



Gute Griffeigenschaften

VERWENDUNGSBEISPIELE



Metallverarbeitende Industrie



Automobilbau und Reparationen



Transporttechnik, Logistik und Lagerwesen



Elektroindustrie



Fahrzeug-, Flugzeug- und Maschinenbau



Forst-, Garten- und Agrarwirtschaft

VORZÜGE UND PLUSPUNKTE

- ▲ Hoher Tragekomfort
- ▲ nahtlos

- ▲ Keine scheuernden Nähte und dadurch Vermeidung von Hautreizungen

- ▲ Ergonomische Passform
- ▲ Hohe Weiterreißfestigkeit

EN 420: Allgemeine Anforderungen für Handschuhe



EN 388:2003: Mechanische Risiken



3 - Abriebfestigkeit
1 - Schnitffestigkeit
3 - Reißfestigkeit
1 - Stichfestigkeit

3 1 3 1

Konformitätserklärung

Wir erklären hiermit, dass die nachstehend beschriebene persönliche Schutzausrüstung (PSA) den Vorschriften des Artikel 10 der EG - Richtlinie 89/686/EWG entspricht und identisch mit der PSA ist, die Gegenstand der von dem akkreditierenden Prüfinstitut:

CTC - 4
Rue Hermann Frenkel
69367 Lyon Cedex 07
France

ausgestellten EG-Baumusterprüfbescheinigung war.

EC Directive 0075/959/162/10/06/0268

509540 – PU Grau

EN 420



EN 388



3 1 3 1

Sicherheitshandschuh

Montagehandschuh mit hohem Tragekomfort.

Material: Nylon-/Polyestergewebe, Handinnenfläche und Fingerkuppen mit Polyurethan beschichtet,

Länge 25 cm

Größen: 6 - 10

1 VPE = 100 / 10 Paar



Jever, 2015

Hase Safety Gloves GmbH

Postfach 13 60, 26437 Jever
Am Hillernsen Hamm 6, 26441 Jever

Tel.: 0 44 61 / 92 22 0 • Fax: 0 44 61 / 92 22 99

Hase
Safety Gloves GmbH

Am Hillernsen Hamm 6
26441 Jever

Tel.: 0 44 61 / 9 22 20 • Fax: 0 44 61 / 92 22 99

email: gloves@hase-safety.com

Internet: www.hasesafetygloves.com



In application of the Directive ref. 89/686/EEC of the 21st of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 920765, 766 and 768 of 29th of July 1992 concerning the transposition of this Directive into French law,

CTC - Centre Technique Cuir Chaussure Maroquinerie

authorized by decrees of the Ministry of Work, Employment and Professional Training of the 11th of August 1992 and 24th of December 1996,

registered under the number 0075, published in OJEC, delivers :

CE TYPE EXAMINATION CERTIFICATE
0075/959/162/10/06/0268

To the following model of personal protective equipment :

* protective glove against mechanical risks

* reference of the model :

* responsible for placing on the market :

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following page of this certificate.

Issued by Albine MIGARD

CTC
Drawn up in Lyon, on 30 October, 2006
CENTRE TECHNIQUE CUIR
CHAUSSURE MAROQUINERIE
4. rue Hermann Frenkel
69367 LYON Cedex 07
Tél. 04 72 76 10 10 - Fax 04 72 76 10 00

NOTA : Any modification to new items of the personal protective equipment object of this CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of adress, change of company status) should be brought to the attention of the notified body in accordance with law n° R. 233-62 of the French Code of Work

CTC - Centre Technique Cuir Chaussure Maroquinerie

Parc Scientifique Tony Garnier - 4. rue Hermann Frenkel - 69367 Lyon Cedex 07 - France
Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - E-Mail : ctclyon@ctcgroupe.com - www.ctcgroupe.com

Centre Technique Industriel - Loi du 22.07.1948 - Siret 77564972600160 - Code NAF 911C - TVA FR 88775649726



1. DESCRIPTION OF THE PROTECTIVE GLOVE


according to the technical file index : 2
of the model :
dated : October 2006


PU Coated in Palm, Nylon Knitted Lining

Material :

Glove component	Component material	reference	colour	material
PALM	PU Coated		White	PU Coated
BACK	Nylon		White	Nylon
LINING	Nylon		White	Nylon
CUFF	Nylon		WHITE	Nylon
BINDING	Polyester		green,red&blue	Polyester

Available sizes : 7/S 8/M 9/L 10/XL





2. LEVEL OF PERFORMANCE

Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:

- * EN 420: 2003 - General requirements for gloves and test methods
- * EN 388: 2003 - Protective glove against mechanical risks
- * Directive 2002/61/CE: - Compliance has been verified on the basis of test reports performed as part of the EC type examination

References of test reports performed in order to verify the compliance with the requirements of the technical rules, applicable to the protective glove, are given hereunder :

laboratory	EN 420	Azo	EN 388
CTC Asia	01349-06	01349-06	01349-06

Levels of performance offered against mechanical risks (EN 388:2003) are:

Abrasion resistance	Blade cut resistance	Tear strength resistance	Puncture resistance
3	1	3	1

The levels of performance have been measured on the palm.

CTC

3. MARKING

Each glove is clearly marked with the following informations :

- * logo of the CE type examination applicant :
- * **CE** marking
- * reference of the model :
- * size
- * pictograms for mechanical risks followed by levels of performance
- * information pictogram

Marking example :

